Author Index of Vol. 57

Aggleton JP: A description of intra-amygdaloid connections in old world monkeys . . . 390
Aitken PG, Capranica RR: Auditory input to a vocal nucleus in the frog *Rana pipiens*: hormonal and seasonal effects . . 33
Aldes LD, see Boone TB . . . 22
Bachelard HS, see Cox DWG, et al. . . . 464
Bachevalier J, Parkinson JK, Mishkin M: Visual recognition in monkeys: effects of separate vs. combined transection of fornix and amygdalofugal pathways . . . 554
Bachevalier J, Saunders RC, Mishkin M: Visual recognition in monkeys: effects of transection of fornix . . . 547
Baker R, see Friauf E . . . 499
Baltes M, see Vilensky JA, et al. . . . 617
Barry J de, see Bejar A, et al. . . . 279
Batini C, Billard JM: Release of cerebellar inhibition by climbing fiber deafferentation . . . 370
Bauer R, see Hoffmann K-P, et al. . . . 118
Becker W, Fuchs AF: Prediction in the oculomotor system: smooth pursuit during transient disappearance of a visual target . . . 562
Bejar A, Roujansky P, Barry J de, Gombos G: Different effect of methylazoxymethanol on mouse cerebellar development depending on the age of injection . . . 279
Belin V, Moos F, Richard Ph: Synchronization of oxytocin cells in hypothalamic paraventricular and supraoptic nuclei in suckled rats: direct proof with paired extracellular recordings . . . 201
Bentivoglio M, see Molinari M, et al. . . . 305
Berger W, see Dietz V, et al. . . . 348
Bernard JF, Buisseret-Delmas C, Compoint C, Laplante S: Harmaline induced tremor. III. A combined simple units, horseradish peroxidase, and 2-deoxyglucose study of the olivocerebellar system in the rat . . . 128
Berthoz A, see Grantyn A . . . 417
Billard JM, see Batini C . . . 370
Bird MM: Establishment of synaptic connections between explants of embryonic neural tissue in culture: experimental ultrastructural studies . . . 337
Bishop PO, see Peterhans E, et al. . . . 512
Bishop PO, see Yamane S, et al. . . . 523
Bjaalie JG: Distribution in areas 18 and 19 of neurons projecting to the pontine nuclei: a quantitative study in the cat with retrograde transport of HRP-WGA . . . 585
Blackburn P, see Pfaff D, et al. . . . 204
Bodis-Wollner J, see Harnois C, et al. . . . 1
Boeijinga PH, Groen Th van: Inputs from the olfactory bulb and olfactory cortex to the entorhinal cortex in the cat. II. Physiological studies . . . 40
Bollók J, see Vécsei L, et al. . . . 625
Boone TB, Aldes LD: Synaptology of the hypoglossal nucleus in the rat . . . 22
Boussaoud D, Joseph JP: Role of the cat substantia nigra pars reticulata in eye and head movements. II. Effects of local pharmacological injections . . . 297
Boussaoud D, see Joseph JP . . . 286
Boxer MI, Stanford D: Projections to the posterior visual hyperstriatal region in the chick: an HRP study . . . 494
Boyle R, Büttner U, Markert G: Vestibular nuclei activity and eye movements in the alert monkey during sinusoidal optokinetic stimulation . . . 362
Büttner U, see Boyle R, et al. . . . 362
Büttner-Ennever JA, see Cohen B . . . 167
Buisseret-Delmas C, see Bernard JF, et al. . . . 128
Bullier J, see Dehay C, et al. . . . 208
Buser P, see Milleret C . . . 73
Camarda RM, see Peterhans E, et al. . . . 512
Capranica RR, see Aitken PG . . . 33
Cipolloni PB, Pandya DN: Topography and trajectories of commissural fibers of the superior temporal region in the rhesus monkey . . . 381
Clarke RJ, Ikeda H: Luminance and darkness detectors in the olivary and posterior pretectal nuclei and their relationship to pupillary light reflex in the rat. I. Studies with steady luminance levels . . . 224
Clément G, Gurfinkel VS, Lestienne F, Lipshits MI, Popov KE: Adaptation of postural control to weightlessness . . . 61
Cohen B, Büttner-Ennever JA: Projections from the superior colliculus to a region of the central mesencephalic reticular formation (cMRF) associated with horizontal saccadic eye movements . . . 167
Cohen B, Matsuo V, Fradin J, Raphan T: Horizontal saccades induced by stimulation of the central mesencephalic reticular formation . . . 605
Collewijn H, Holstege G: Effects of neonatal and late unilateral enucleation on optokinetic responses and optic nerve projections in the rabbit . . . 138
Compoint C, see Bernard JF, et al. . . . 128
Cox DWG, Drower J, Bachelard HS: Effects of metabolic inhibitors on evoked activity and the energy state hippocampal slices superfused in vitro . . . 464
Dalbera A, see Gioanni H, et al. . . . 49
Dehay C, Bullier J, Kennedy H: Transient projections from the fronto-parietal and temporal cortex to areas 17, 18 and 19 in the kitten . . . 208
Dietz V, Quintern J, Berger W, Schenck E: Cerebral potentials and leg muscle e.m.g. responses associated with stance perturbation . . . 348
Drower J, see Cox DWG, et al. . . . 464
Elberger AJ, Smith EL: The critical period for corpus callosum section to affect cortical binocularity . . . 213
Fava E, see Lacquaniti F, et al. . . . 82
Fischer B, Rampsperger E: Human express saccades: extremely short reaction times of goal directed eye movements . . . 191
Forssberg H: Ontogeny of human locomotor control. I. Infant stepping, supported locomotion and transition to independent locomotion . . . 480
Fradin J, see Cohen B, et al. . . . 605
French CR, Sefton AJ, Mackay-Sim A: The inhibitory role of the visually responsive region of the thalamic reticular nucleus in the rat . . . 471
Friauf E, Baker R: An intracellular HRP-study of cat tensor tympani motoneurons . . . 499
Fuchs AF, see Becker W . . . 562
Fukushima K, Takahashi K, Kudo J, Kato M: Interstitial-vestibular interaction in the control of head posture . . . 264
Gerrits NM, Voogd J, Nas WSC: Cerebellar and olivary projections of the external and rostral internal cuneate nuclei in the cat . . . 239
Ghez C, see Martin JH . . . 427

Author Index of Vol. 57

Aggleton JP: A description of intra-amygdaloid connections in old world monkeys . . . 390
Aitken PG, Capranica RR: Auditory input to a vocal nucleus in the frog *Rana pipiens*: hormonal and seasonal effects . . 33
Aldes LD, see Boone TB . . . 22
Bachelard HS, see Cox DWG, et al. . . . 464
Bachevalier J, Parkinson JK, Mishkin M: Visual recognition in monkeys: effects of separate vs. combined transection of fornix and amygdalofugal pathways . . . 554
Bachevalier J, Saunders RC, Mishkin M: Visual recognition in monkeys: effects of transection of fornix . . . 547
Baker R, see Friauf E . . . 499
Baltes M, see Vilensky JA, et al. . . . 617
Barry J de, see Bejar A, et al. . . . 279
Batini C, Billard JM: Release of cerebellar inhibition by climbing fiber deafferentation . . . 370
Bauer R, see Hoffmann K-P, et al. . . . 118
Becker W, Fuchs AF: Prediction in the oculomotor system: smooth pursuit during transient disappearance of a visual target . . . 562
Bejar A, Roujansky P, Barry J de, Gombos G: Different effect of methylazoxymethanol on mouse cerebellar development depending on the age of injection . . . 279
Belin V, Moos F, Richard Ph: Synchronization of oxytocin cells in hypothalamic paraventricular and supraoptic nuclei in suckled rats: direct proof with paired extracellular recordings . . . 201
Bentivoglio M, see Molinari M, et al. . . . 305
Berger W, see Dietz V, et al. . . . 348
Bernard JF, Buisseret-Delmas C, Compoint C, Laplante S: Harmaline induced tremor. III. A combined simple units, horseradish peroxidase, and 2-deoxyglucose study of the olivocerebellar system in the rat . . . 128
Berthoz A, see Grantyn A . . . 417
Billard JM, see Batini C . . . 370
Bird MM: Establishment of synaptic connections between explants of embryonic neural tissue in culture: experimental ultrastructural studies . . . 337
Bishop PO, see Peterhans E, et al. . . . 512
Bishop PO, see Yamane S, et al. . . . 523
Bjaalie JG: Distribution in areas 18 and 19 of neurons projecting to the pontine nuclei: a quantitative study in the cat with retrograde transport of HRP-WGA . . . 585
Blackburn P, see Pfaff D, et al. . . . 204
Bodis-Wollner J, see Harnois C, et al. . . . 1
Boeijinga PH, Groen Th van: Inputs from the olfactory bulb and olfactory cortex to the entorhinal cortex in the cat. II. Physiological studies . . . 40
Bollók J, see Vécsei L, et al. . . . 625
Boone TB, Aldes LD: Synaptology of the hypoglossal nucleus in the rat . . . 22
Boussaoud D, Joseph JP: Role of the cat substantia nigra pars reticulata in eye and head movements. II. Effects of local pharmacological injections . . . 297
Boussaoud D, see Joseph JP . . . 286
Boxer MI, Stanford D: Projections to the posterior visual hyperstriatal region in the chick: an HRP study . . . 494
Boyle R, Büttner U, Markert G: Vestibular nuclei activity and eye movements in the alert monkey during sinusoidal optokinetic stimulation . . . 362
Büttner U, see Boyle R, et al. . . . 362
Büttner-Ennever JA, see Cohen B . . . 167
Buisseret-Delmas C, see Bernard JF, et al. . . . 128
Bullier J, see Dehay C, et al. . . . 208
Buser P, see Milleret C . . . 73
Camarda RM, see Peterhans E, et al. . . . 512
Capranica RR, see Aitken PG . . . 33
Cipolloni PB, Pandya DN: Topography and trajectories of commissural fibers of the superior temporal region in the rhesus monkey . . . 381
Clarke RJ, Ikeda H: Luminance and darkness detectors in the olivary and posterior pretectal nuclei and their relationship to pupillary light reflex in the rat. I. Studies with steady luminance levels . . . 224
Clément G, Gurfinkel VS, Lestienne F, Lipshits MI, Popov KE: Adaptation of postural control to weightlessness . . . 61
Cohen B, Büttner-Ennever JA: Projections from the superior colliculus to a region of the central mesencephalic reticular formation (cMRF) associated with horizontal saccadic eye movements . . . 167
Cohen B, Matsuo V, Fradin J, Raphan T: Horizontal saccades induced by stimulation of the central mesencephalic reticular formation . . . 605
Collewijn H, Holstege G: Effects of neonatal and late unilateral enucleation on optokinetic responses and optic nerve projections in the rabbit . . . 138
Compoint C, see Bernard JF, et al. . . . 128
Cox DWG, Drower J, Bachelard HS: Effects of metabolic inhibitors on evoked activity and the energy state hippocampal slices superfused in vitro . . . 464
Dalbera A, see Gioanni H, et al. . . . 49
Dehay C, Bullier J, Kennedy H: Transient projections from the fronto-parietal and temporal cortex to areas 17, 18 and 19 in the kitten . . . 208
Dietz V, Quintern J, Berger W, Schenck E: Cerebral potentials and leg muscle e.m.g. responses associated with stance perturbation . . . 348
Drower J, see Cox DWG, et al. . . . 464
Elberger AJ, Smith EL: The critical period for corpus callosum section to affect cortical binocularity . . . 213
Fava E, see Lacquaniti F, et al. . . . 82
Fischer B, Rampsperger E: Human express saccades: extremely short reaction times of goal directed eye movements . . . 191
Forssberg H: Ontogeny of human locomotor control. I. Infant stepping, supported locomotion and transition to independent locomotion . . . 480
Fradin J, see Cohen B, et al. . . . 605
French CR, Sefton AJ, Mackay-Sim A: The inhibitory role of the visually responsive region of the thalamic reticular nucleus in the rat . . . 471
Friauf E, Baker R: An intracellular HRP-study of cat tensor tympani motoneurons . . . 499
Fuchs AF, see Becker W . . . 562
Fukushima K, Takahashi K, Kudo J, Kato M: Interstitial-vestibular interaction in the control of head posture . . . 264
Gerrits NM, Voogd J, Nas WSC: Cerebellar and olivary projections of the external and rostral internal cuneate nuclei in the cat . . . 239
Ghez C, see Martin JH . . . 427

Gioanni H, Rey J, Villalobos J, Dalbera A: Single unit activity in the nucleus of the basal optic root (nBOR) during optokinetic, vestibular and visuo-vestibular stimulations in the alert pigeon (*Columbia livia*) 49

Gisbergen JAM van, Opstal AJ van, Schoenmakers JJM: Experimental test of two models for the generation of oblique saccades 321

Godfraind JM: Intrasomatic and intradendritic recordings of plateau potentials in slices of the dentate gyrus maintained in vitro 233

Gombos G, see Bejar A, et al. 279

Gottschlich K-W, Werner J: Effects of medial midbrain lesions on thermoresponsive neurons in the thalamus of the rat 355

Grantyn A, Berthoz A: Burst activity of identified tecto-reticulo-spinal neurons in the alert cat 417

Groen Th van, see Boeijinga PH 40

Gurfinkel VS, see Clément G, et al. 61

Guthrie BL, see Porter JD, et al. 411

Harnois C, Bodis-Wollner I, Onofrj M: The effect of contrast and spatial frequency on the visual evoked potential of the hooded rat 1

Heide W, see Vidyasagar TR 196

Heinemann U, see Wadman WJ, et al. 404

Herman D, Kang R, MacGillis M, Zarzecki P: Responses of cat motor cortex neurons to cortico-cortical and somatosensory inputs 598

Herman D, see Kang R, et al. 271

Hoffmann K-P, Bauer R, Huber HP, Mayr M: Single cell activity in area 18 of the cat's visual cortex during optokinetic nystagmus 118

Holstege G, see Collewijn H 138

Hounsgaard J, Kiehn O: Ca^{++} dependent bistability induced by serotonin in spinal motoneurons 422

Huber HP, see Hoffmann K-P, et al. 118

Hydén, see Istl-Lenz Y, et al. 448

Ikeda H, see Clarke RJ 224

Istl-Lenz Y, Hydén D, Schwarz DWF: Response of the human vestibulo-ocular reflex following long-term 2 × magnified visual input 448

Ito H, see Uchiyama H, et al. 408

Jean A, see Kessler JP 256

Joseph JP, Boussaoud D: Role of the cat substantia nigra pars reticulata in eye and head movements. I. Neural activity 286

Joseph JP, see Boussaoud D 297

Kang R, Herman D, MacGillis M, Zarzecki P: Convergence of sensory inputs in somatosensory cortex: interactions from separate afferent sources 271

Kang R, see Herman D, et al. 598

Kato M, see Fukushima K, et al. 264

Kennedy H, see Dehay C, et al. 208

Kessler JP, Jean A: Identification of the medullary swallowing regions in the rat 256

Kiehn O, see Hounsgaard J 422

Kitai ST, see Landry P, et al. 177

Kocsis JD: Aminopyridine-sensitivity of spinal cord white matter studied in vitro 620

Konnerth A, see Wadman WJ, et al. 404

Kudo J, see Fukushima K, et al. 264

Lacquaniti F, Maioli C, Fava E: Cat posture on a tilted platform 82

Lam K, see Sefton AJ 107

Landry P, Wilson CJ, Kitai ST: Morphological and electrophysiological characteristics of pyramidal tract neurons in the rat 177

Laplante S, see Bernard JF, et al. 128

Lestienne F, see Clément G, et al. 61

Li CY, see Nothdurft HC 9

Lines CR, Rugg MD, Milner AD: The effect of stimulus intensity on visual evoked potential estimates of interhemispheric transmission time 89

Lipshits MI, see Clément G, et al. 61

Macchi G, see Molinari M, et al. 305

MacDonald JF, Morris ME: Lathyrus excitotoxin: mechanism of neuronal excitation by L-2-oxalylamino-3-amino- and L-3-oxalylamino-2-amino-propionic acid 158

MacGillis M, see Herman D, et al. 598

MacGillis M, see Kang R, et al. 271

Mackay-Sim A, Patel U: Regional differences in cell density and cell genesis in the olfactory epithelium of the salamander, *Ambystoma tigrinum* 99

Mackay-Sim A, see French CR, et al. 471

Maioli C, see Lacquaniti F, et al. 82

Markert G, see Boyle R, et al. 362

Martin JH, Ghez C: Task-related coding of stimulus and response in cat motor cortex 427

Maske R, see Yamane S, et al. 523

Matsuo V, see Cohen B, et al. 605

Mayr M, see Hoffmann K-P, et al. 118

Miller JJ, see Oliver MW 443

Milleret C, Buser P: Receptive field sizes and responsiveness to light in area 18 of the adult cat after chiasmotomy. Postoperative evolution; role of visual experience 73

Milner AD, see Lines CR, et al. 89

Minciacchi D, see Molinari M, et al. 305

Mishkin M, see Bachevalier J, et al. 547

Mishkin M, see Bachevalier J, et al. 554

Molinari M, Minciacchi D, Bentivoglio M, Macchi G: Efferent fibers from the motor cortex terminate bilaterally in the thalamus of rats and cats 305

Moos F, see Belin V, et al. 201

Morris ME, see MacDonald JF 158

Nakagawa S, Tanaka S: Retinal projections to the pulvinar nucleus of the macaque monkey: a re-investigation using autoradiography 151

Nakamura S, see Uchiyama H, et al. 408

Nas WSC, see Gerrits NM, et al. 239

Neuhaus S, see Wadman WJ, et al. 404

Nothdurft HC, Li CY: Representation of spatial details in textured patterns by cells of the cat striate cortex 9

Oliver MW, Miller JJ: Alterations of inhibitory processes in the dentate gyrus following kindling-induced epilepsy . . . 443

Onofrj M, see Harnois C, et al. 1

Opstal AJ van, see Gisbergen JAM van, et al. 321

Pandya DM, see Cipolloni PB 381

Parkinson JK, see Bachevalier J, et al. 554

Patel U, see Mackay-Sim A 99

Patrick MC, see Vilensky JA, et al. 617

Peterhans E, Bishop PO, Camarda RM: Direction selectivity of simple cells in cat striate cortex to moving light bars. I. Relation to stationary flashing bar and moving edge responses 512

Pfaff D, Rosello L, Blackburn P: Proteins synthesized in medial hypothalamus and transported to midbrain in estrogen-treated female rats 204

Popov KE, see Clément G, et al. 61

Porter JD, Guthrie, BL, Sparks DL: Selective retrograde transneuronal transport of wheat germ agglutinin-conjugated horseradish peroxidase in the oculomotor system . . 411

Quintern J, see Dietz V, et al. 348

Rampsperger E, see Fischer B 191

Raphan T, see Cohen B, et al. 605

Rastad J, see Svensson BA, et al. 576

Rey J, see Gioanni H, et al. 49
Richard Ph, see Belin V, et al. 201
Rosello L, see Pfaff D, et al. 204
Roujansky P, see Bejar A, et al. 279
Rugg MD, see Lines CR, et al. 89
Saphier DJ: Nucleus accumbens and preoptic area stimulation: tuberoinfundibular single unit responses, modulation of electrical activity and gonadotrophin secretion 400
Sato H, see Yamamoto C 313
Saunders RC, see Bachevalier J, et al. 547
Savio T, Tempia F: On the Purkinje cell activity increase induced by suppression of inferior olive activity 456
Schally AV, see Vécsei L, et al. 625
Schenck E, see Dietz V, et al. 348
Schoenmakers JJM, see Gisbergen JAM van, et al. 321
Schwarz DWF, see Istl-Lenz Y, et al. 448
Sefton AJ, Lam K: Quantitative and morphological studies on developing optic axons in normal and enucleated albino rats 107
Sefton AJ, see French CR, et al. 471
Senba E, Tohyama M: Origin and fine structure of substance P-containing nerve terminals in the facial nucleus of the rat: an immunohistochemical study 537
Sigüenza JA, see Vidyasagar TR 628
Smith EL, see Elberger AJ 213
Sparks DL, see Porter JD, et al. 411
Stanford D, see Boxer MI 494
Svensson BA, Rastad J, Westman J, Wiberg M: Somatotopic termination of spinal afferents to the feline lateral cervical nucleus 576
Takahashi K, see Fukushima K, et al. 264
Tanaka S, see Nakagawa S 151
Telegdy G, see Vécsei L, et al. 625
Tempia F, see Savio T 456
Tohyama M, see Senba E 537
Uchiyama H, Ito H, Nakamura S: Electrophysiological evidence for tectal efferents to the neurons projecting to the retina in a teleost fish 408
Vécsei L, Bollók I, Telegdy G, Schally AV: Effects of H-Phe-Ile-Tyr-His-Ser-Tyr-Lys-OH on different behavioral tests of rats 625
Vidyasagar TR, Heide W: Geniculate orientation biases seen with moving sine wave gratings: implications for a model of simple cell afferent connectivity 196
Vidyasagar TR, Sigüenza JA: Relationship between orientation tuning and spatial frequency in neurones of cat area 17 628
Vilensky JA, Baltes M, Patrick MC: Effects of entopeduncular lesions upon treadmill locomotion in cats 617
Villalobos J, see Gioanni H, et al. 49
Voogd J, see Gerrits NM, et al. 239
Wadman WJ, Heinemann U, Konnerth A, Neuhaus S: Hippocampal slices of kindled rats reveal calcium involvement in epileptogenesis 404
Werner J, see Gottschlich K-W 355
Westman J, see Svensson BA, et al. 576
Wiberg M, see Svensson BA, et al. 576
Wilson CJ, see Landry P, et al. 177
Yamamoto C, Sato H: Some properties of ionic channels activated by excitatory amino acids in hippocampal neurons 313
Yamane S, Maske R, Bishop PO: Direction selectivity of simple cells in cat striate cortex to moving light bars. II. Relation to moving dark bar responses 523
Zarzecki P, see Herman D, et al. 598
Zarzecki P, see Kang R, et al. 271